



## **For notice:**

Your orders will not be produced, before all questions are solved and necessary samples of varnish or colours are in our office.

To change or cancel orders in production is only possible if there has been an explicit confirmation which has to be given from our office. We have to charge the costs which belong to cancelled orders which are already in production.

For special- surfaces we guarantee the highest technical standard and the best possible adaptation. Specific wood or light can be the reason for slight differences between the ready made furniture and the wood sample. An absolute guarantee for the uniformity of colours can therefore not be given by our company. All wood samples must have the minimum measures 15 x 20 cm.

Please take notice that we can not change, or take back any of our furniture in fact of not 100 % uniformity of wood- colours.



# „RACKTIME“ & „RACKTIME BASIC“

## flexible hi-fi furniture system

*All elements written in black cursive letters are on stock and available in 2 weeks from order date!*

All elements written in grey are produced on customers demand and have a production time about 6 weeks!






**FINISH:** maple-, pear- veneers, satin black natural wood finish (Production time 1- 2 weeks)

beech-, cherry- veneers (Production time 6 weeks)

**CONNECTORS:** are available in nickel or brass as desired; length = 50 mm

**MATERIAL OF ELEMENTS:** triple layered spruce

The system is in every other finish, corrosion and RAL- colours available. Please ask for a individual offer (production time 12 weeks)

sketch	measures		code number
<b>bases + add on´s</b>			
	depth	475 mm	1 MDF- base
	height	100 mm	1 triple layered base, including cones, (L=50 mm) connectors, height-adjustable rubber feet
	<b>width</b>	<b>600 mm</b>	<b>B600H</b>
	<b>width</b>	<b>954 mm</b>	<b>B954H</b>
	width	1250 mm	B1250H
	width	1604 mm	B1604H
	depth:	475 mm	Rack-element incl. Spikes + height adjustable rubber feet, for optional use
	height:	90 mm (spikes h= 25 mm)	
	<b>width:</b>	<b>600 mm</b>	<b>B600BASIC</b>
	<b>width:</b>	<b>954 mm</b>	<b>B954Basic</b>
	depth	475 mm	1 standard base including connectors,(L=50 mm) height adjustable rubber feet
	height	80 mm	
	<b>width</b>	<b>600 mm</b>	<b>B600</b>
	<b>width</b>	<b>954 mm</b>	<b>B954</b>
	width	1250mm	B1250
	width	1604mm	B1604
	for standard base		casters (only for standard base available)
	<b>B 600, B 954</b>		<b>LR4 (4 pieces casters)</b>
	B1250, B1604		LR6 (6 pieces casters)
	depth	475 mm	underlying frame for standard base
	height	20 mm	height standard base 80mm + height underlying frame 20 mm = height hi-fi base 100 mm
			<b>D600</b> <b>D954</b> D1250 D1604





sketch


measures


code number

## Elements + add on's

ELEMENT	measures	code number	
	depth 475 mm	element including connectors (L=50 mm)	
	height 230 mm (inside height incl. connectors 250 mm)		
	<b>width 600 mm</b>		<b>E600</b>
	<b>width 954 mm</b>		<b>E954</b>
	width 1250mm		E1250
	width 1604mm	E1604	

element BASIC	measures	code number
	depth: 475 mm	Rack-element incl. Connectors (L=50 mm)
	height: 90 mm	
	inside height incl. connectors: ca. 159	
	<b>width: 600 mm</b>	<b>E600BASIC</b>
	<b>width: 954 mm</b>	<b>E954BASIC</b>

DRAWERS	measures	code number	
	depth 475 mm	Element including connectors (L=50 mm) (drawer black except front)	
	height 230 mm (inside height incl. connectors 250 mm)		
	<b>width 600 mm</b>		<b>L600</b>
			<b>L600CDB</b> (incl. CD "browser inlay" 75 CD's)
			<b>L600CD</b> (incl. CD stick inlay 90 CD's)
			<b>L600DVD</b> (incl. DVD stick inlay 38 DVD's)
			<b>L600MC</b> (incl. MC stick inlay 120 MC's)
			<b>L600V</b> (incl. VIDEO stick inlay 24 Videos)
	<b>width 954 mm</b>		<b>L954</b>
			<b>L954CDB</b> (incl. CD "browser inlay" 125CD's)
	<b>L954CD</b> (incl. CD stick inlay 150 CD's)		
	<b>L954DVD</b> (incl. DVD stick inlay 76 DVD's)		
	<b>L954MC</b> (incl. MC stick inlay 180 MC's)		
	<b>L954V</b> (incl. VIDEO stick inlay 48 Videos)		

TV- ELEMENT	measures	code number
	depth 475 mm	element including connectors and extensible and revolving TV-base
	height 230 mm (without connectors otherwise + 50 mm)	
	<b>width 954 mm</b>	
	width 1250 mm	TV1250



sketch	measures		code number
	depth	475 mm	record-element
	height	230 mm	including connectors (L=50 mm)
	(inside height incl. connectors 250 mm)		
	<b>width</b>	<b>600 mm</b>	<b>S600</b>
	<b>width</b>	<b>954 mm</b>	<b>S954</b>
	width	1250mm	S1250
	width	1604mm	S1604
	height	197 mm	flexible backboard for following elements:
	thickness	16 mm	E..., TV..., S..., SE...
	<b>width</b>	<b>545 mm</b>	<b>RW600</b>
	<b>width</b>	<b>900 mm</b>	<b>RW954</b>
	width	1194mm	RW1250
	width	1548mm	RW1604

## Connectors

CONNCTORS		4 pieces of connectors for elements (nickel or brass)	
	<b>length</b>	<b>50 mm</b>	<b>VE50</b>
	<b>length</b>	<b>97 mm</b>	<b>VE97</b>
	<b>length</b>	<b>190 mm</b>	<b>VE190</b>
	<b>length</b>	<b>330 mm</b>	<b>VE330</b>

## Decoupling Platforms

	DECOUPELING BASE (MDF)	depth 360 mm	MDF - decoupling base black
		height ca. 55 mm	incl. spikes and counterparts for spikes
	<b>width</b>	<b>430 mm</b>	<b>MDF430</b>
	<b>width</b>	<b>460 mm</b>	<b>MDF460</b>
	DECOUPELING BASE „Platform One“	depth 360 mm	decoupling base
		height ca. 55 mm	„Platform One“ black
	<b>width</b>	<b>430 mm</b>	incl. spikes and counterparts for spikes
	<b>width</b>	<b>460 mm</b>	<b>PLO430</b>
			<b>PLO460</b>









sketch


measures

code number

## Corner elements

<b>CORNER BASE OUTSIDE</b>	depth	475 mm		1 standard base including connectors, (L=50 mm) height adjustable rubber feet	AB475
	height	80 mm			
	width	475 mm			
<b>OPTIONAL UNDERLAYING FRAME</b>	depth	475 mm		underlying frame for standard base height standard base 80mm + height underlying frame 20 mm = height hi-fi base 100 mm	AD475
	height	20 mm			
<b>CORNER ELEMENT OUTSIDE</b>	depth	475 mm		element including connectors (L=50 mm)	AE475
	height	230 mm (inside height incl. connectors 250 mm)			
	width	475 mm			
<b>CORNER BASE INSIDE</b>	depth	730 mm		1 standard base including connectors (L=50 mm), height adjustable rubber feet	IB730
	height	80 mm			
	width	730mm			
<b>OPTIONAL UNDERLAYING FRAME</b>	depth	475 mm		underlying frame for standard base height standard base 80mm + height underlying frame 20 mm = height hi-fi base 100 mm	ID730
	height	20 mm			
<b>CORNER ELEMENT INSIDE</b>	depth	730 mm		element including connectors (L=50 mm)	IE730
	height	230 mm (without connectors otherwise + 50 mm)			
	width	730mm			

## SHELFS

<b>SHELF FOR ELEMENTS</b>				1 shelf maximum length 2,00 meter (price per meter) incl. connector elements	
	depth	475 mm			F475 (for elements of 475 mm depth)
	depth	315 mm			F315 (for elements of 315 mm depth)





sketch


measures

code number

## BOOKSHELF ELEMENTS


	<b>BOOKSHELF BASE</b>	depth	315 mm	1 standard base including connectors, (L=50 mm) height adjustable rubber feet	
		height	80 mm		
		width	600 mm		SB600
		width	954 mm		SB954
		width	1250mm		SB1250
		width	1604mm	SB1604	

	<b>OPTIONAL UNDERLAYING FRAME</b>	depth	315 mm	underlying frame for standard base height standard base 80mm + height underlying frame 20 mm = height hi-fi base 100 mm	
		height	20 mm		
					SD600
					SD954
					SD1250
			SD1604		

	<b>BOOKSHELF ELEMENT</b>	depth	315 mm	element including connectors (L=50 mm)	
		height	230 mm		
		(inside height incl. connectors 250 mm)			
		width	600 mm		SE600
		width	954 mm		SE954
		width	1250mm	SE1250	
		width	1604mm	SE1604	

## Cupboards

	<b>cupboard</b>	depth	475 mm	2 pieces elements E600 inclusive connectors cupboard with shatter- proof mirror glass 4 shelf's	
		height	1350 mm		
		(without rack elements 1290mm)			
		width	600 mm		K600R (hinge on the right side) K600L (hinge on the left side)
					K600RH (hinge on the right side) K600LH (hinge on the left side)
<b>Hi-fi cupboard</b>					

	<b>cupboard</b>	depth	475 mm	2 pieces elements E1250 inclusive connectors cupboard with shatter- proof mirror glass 2 shelf's	
		height	790 mm		
		(without rack elements 730 mm)			
		width	1250 mm		K1250
					K1250H
<b>Hi-fi cupboard</b>					